





# Pricelist – Fuel Preheater *Diesel-Therm*<sup>®</sup>

Stand 23.03.2007

Picture	Article	Price*
	<b>DH12</b> ATG Diesel-Therm 12V - Screw-/Filter Version  Connectors: <b>DH12M14</b> = M14 x 1,5 <b>DH12M16</b> = M16 x 1,5	88,24 EUR
	<b>DH24</b> ATG Diesel-Therm 24V - Screw-/Filter Version  Connectors: <b>DH24M14</b> = M14 x 1,5 <b>DH24M16</b> = M16 x 1,5	117,65 EUR
	<b>DHS1208</b> ATG Diesel-Therm 12V - Universal Version 08 mm OD <b>DHS1210</b> ATG Diesel-Therm 12V - Universal Version 10 mm OD <b>DHS1213</b> ATG Diesel-Therm 12V - Universal Version 13 mm OD  OD = Outside diameter	96,64 EUR
	<b>DHS2408</b> ATG Diesel-Therm 24V - Universal Version 08 mm OD <b>DHS2410</b> ATG Diesel-Therm 24V - Universal Version 10 mm OD <b>DHS2413</b> ATG Diesel-Therm 24V - Universal Version 13 mm OD  OD = Outside diameter	126,05 EUR

\*all Prices in Euro, ex works Karweesee

<b>UFM1408</b> Optional Accessory for Screw-/Filter Version M14x1.5:	8 mm OD	32,00 EUR
<b>UFM1410</b> Universal Filterhead M14x1.5 for DH12M14, DH24M14	10 mm OD	32,00 EUR
<b>UFM1413</b> incl. fittings (banjos, sealings)	13 mm OD	32,00 EUR
<b>UFFPM14</b> Filter Cartridge for Universal Filterhead		8,00 EUR

Following components are included in delivery: electric continuous-flow heater (12V approx. 200 W / 24V approx. 250 W), temperature switch (regulates the temperature), rotary switch with pilot lamp, relay, cable loom with connectors, fuse and protective caps, miscellaneous materials, detailed installation instructions



- The **Screw-/Filter Version** mounts directly on the filter (e.g. UFM1408 Universal Filterhead). Instead of the existing banjo screw at the filter's entrance, screw on Diesel-Therm (thread size M14x1.5, wrench size 19 or thread size M16x1.5, wrench size 22).
- The **Universal Version (fits all!)** is installed in the fuel line before entering the filter. For automobiles connectors with 8 mm are usual. For trucks/tractors connectors with 10/13 mm are usual.
- Alternative to the fuel filter Diesel-Therm can also be installed in front of fuel pumps, solenoid valves, etc. to preheat the fuel.
- The installation can be performed by any reputable garage/mechanic. Craftmanship and an understanding of diesel engines provided, a DIY (do-it-yourself) installation with the included installation notes is also possible.
- Additional information and references are available at [www.heipro.com](http://www.heipro.com)

\*all Prices in Euro, ex works HeiPro Karweesee, Germany



## Pricelist Heat Exchanger






Stand 17.06.2008

Picture	Article	Price *
	Heat exchanger WT01, (fuel 2x 08 mm / water 2x 12 mm) , Aluminum Nr.: WT01AL0	66,39 EUR
	Heat exchanger WT02, Connectors Heat exchanger 4x Outside Thread 1/2", Stainless Steel Nr.: WT02ES0	151,26 EUR
	Heat exchanger WT03, Connectors Heat exchanger 4x Outside Thread 1/2", Stainless Steel Nr.: WT03ES0	168,07 EUR
	Hose Connectors with Inside Thread 1/2" - OD 10 mm, Messing Nr.: SNI1210M	3,11 EUR
	Hose Connectors with Inside Thread 1/2" - OD 13 mm, Messing Nr.: SNI1213M	2,77 EUR
	Hose Connectors with Inside Thread 1/2" -OD 16 mm, Messing Nr.: SNI1216M	4,96 EUR

\*all Prices in Euro, ex works HeiPro Karweese, Germany

## Fuel Pumps

Stand 15.08.2007











Picture	Article	Price *
	<p>Electrical Fuel Pump 12V Nr.: EK12</p> <p>Flow Rate max. 110 l/h, Pressure ca. 0,42 bar, Wide x deep x height in cm (incl. Connectors) ca. 11 x 8 x 6 cm, dust- and splashwater protected DIN 40050 IP 64, Connectors : 08 or 10 mm OD</p>	68,07 EUR
	<p>Electrical Gear Pump 12V Nr.: EZK12</p> <p>Flow Rate 48 l/h, Infinitely Adjustable Pressure 0,3 up to 2,0 bar , self-priming up to 3 m , Connectors 3x 1/8" Inside Thread, Meas: Length 15 x Diameter 5 cm, dust- and splashwater protected DIN 40050 IP 65 Connectors: 3x 8mm, 3x 10mm, 3x 13mm OD</p>	180,67 EUR
	<p>Electrical Gear Pump 24V Nr.: EZK24</p> <p>Flow Rate 48 l/h, Infinitely Adjustable Pressure 0,3 up to 2,0 bar , self-priming up to 3 m , Connectors 3x 1/8" Inside Thread, Meas: Length 15 x Diameter 5 cm, dust- and splashwater protected DIN 40050 IP 65 Connectors: 3x 10mm, 3x 13mm OD</p>	180,67 EUR
	<p>Electrical Gear Pump 12V Nr.: EZG12</p> <p>Flow Rate 150 l/h, Infinitely Adjustable Pressure 1,0 up to 6,0 bar , self-priming up to 3 m , Connectors 3x 1/4" Inside Thread, Meas: Length 32 x Diameter 7cm, dust- and splashwater protected DIN 40050 IP 65 Connectors: 3x 10mm, 3x 13mm OD</p>	334,45 EUR
	<p>Electrical Gear Pump 24V Nr.: EZG24</p> <p>Flow Rate 150 l/h, Infinitely Adjustable Pressure 1,0 up to 6,0 bar , self-priming up to 3 m , Connectors 3x 1/4" Inside Thread, Meas: Length 32 x Diameter 7cm, dust- and splashwater protected DIN 40050 IP 65 Connectors: 3x 10mm, 3x 13mm OD</p>	334,45 EUR

OD = outside diameter

\*all Prices in Euro, ex works HeiPro Karweese, Germany

## Pricelist Fuel Tanks

Stand 08.05.2008

Picture	Article	Price*
	Fuel Tank 12 Ltr., material Eltex (plastics) Nr.: SE2003 meas ca. Wide 26 x deep 20 x height 42 cm	26,05 EUR
	Fuel Tank 24 Ltr., material Eltex (plastics) Nr.: SE2004 meas ca. Wide 33 x deep 23 x height 51cm	34,45 EUR
	Fuel Tank 22 Ltr., material Eltex (plastics) Nr.: SE2009 meas ca. Wide 33 x deep 24 x height 41 cm	34,45 EUR
	Fuel Tank 12 Ltr., material Eltex (plastics) Nr.: SE2010 meas ca. Wide 40 x deep 28 x height 17 cm	26,05 EUR
	Fuel Tank 24 Ltr., material Eltex (plastics) Nr.: SE2011 meas ca. Wide 46 x deep 34 x height 23 cm	34,45 EUR
	Fuel Tank 29 Ltr., material Eltex (plastics) Nr.: SE2012 meas ca. Wide 51 x deep 37 x height 23 cm	42,02EUR
	Fuel or Plantoil Tank 33 Ltr., material Eltex (plastics) Nr.: SE2023 meas ca. Wide 50 x deep 35 x height 23 cm	102,52 EUR
	Fuel or Plantoil Tank 43 Ltr., material Eltex (plastics) Nr.: SE2024 meas ca. Wide 65 x deep 35 x height 23 cm	117,65 EUR
	Fuel or Plantoil Tank 53 Ltr., material Eltex (plastics) Nr.: SE2025 meas ca. Wide 80 x deep 35 x height 23 cm	133,61 EUR
	Mechanical fuel gauge Nr.: MI2160	10,92 EUR

\*all Prices in Euro, ex works HeiPro Karwese, Germany



Electrical fuel level sensor 12/24 V, height 19,5 cm  
Nr.: SO3802

91,60 EUR

Elektrical fuel level sensor 12/24 V incl. fuel gauge (illuminated, D 50 mm)  
for the cockpit with OD 50mm, only for Fuel Tanks with following numbers:  
SE2023, SE2024, SE2025



Fuel or Plantoil Tank 42 Ltr., material Eltex (plastics)  
Nr.: SE2026

106,72 EUR

meas ca. Wide 50 x deep 35 x height 30 cm



Fuel or Plantoil Tank 55 Ltr., material Eltex (plastics)  
Nr.: SE2027

134,45 EUR

meas ca. Wide 65 x deep 35 x height 30 cm



Fuel or Plantoil Tank 70 Ltr., material Eltex (plastics)  
Nr.: SE2028

142,86 EUR

meas ca. Wide 80 x deep 35 x height 30 cm



Mechanical fuel gauge  
Nr.: MI2162

10,92 EUR



Electrical Fuel level sensor 12/24 V, H 27,5 cm  
Nr.: SO3804

98,32 EUR

Elektrical level meter 12/24 V incl. fuel gauge (illuminated, D 50 mm)I with  
OD 50mm, only for Fuel Tanks with following numbers: SE2026, SE2027,  
SE2028.



Fuel or Plantoil Tank 62 Ltr., material Eltex (plastics)  
Nr.: SE2029

179,83 EUR

meas ca. Wide 66 x deep 30 x height 44 cm



Fuel or Plantoil Tank 91 Ltr., material Eltex (plastics)  
Nr.: SE2030

190,76 EUR

meas ca. Wide 91 x deep 30 x height 44 cm



Mechanical fuel gauge  
Nr.: MI2163

10,92 EUR

**\*all Prices in Euro, ex works HeiPro Karwesee, Germany**



Electrical fuel level sensor 12/24 V, H 39,0 cm  
Nr.: SO3808

107,56 EUR

Elektrical level meter 12/24 V incl.fuel gauge (illuminated, D 50 mm) with OD 50mm, only for Fuel Tanks with following numbers: SE2029, SE2030



Stainless Steel Fuel Tank 27 Ltr.  
Nr.: ST2027

144,54 EUR

meas ca. Wide 50 x deep 32 x height 17 cm, fits 15" Spare wheel hole.



Tank for Spare wheel hole fits 15" 44 Ltr., material Eltex (plastics)  
Nr.: RT2058

100,00 EUR

meas ca. OD 58 cm x height 20 cm.  
Fits all Spare wheel holes with an OD 60 cm



Electrical fuel level sensor 12/24 V, H 19,5 cm with Distance disc  
Nr.: SO3801

91,60 EUR

Elektrical level meter 12/24 V incl. fuel gauge (illuminated, D 50 mm) with OD 50mm, only for Fuel Tanks with following numbers: ST2027und RT2058



Electrical Fuel Sensor 12/24 V, universal  
Nr.: SO3800

25,21 EUR

Only usable with an LED that runs when the fuel level is low! Not for use with an Instrument!

Fits all tanks! (please give us the number of your tank if you order! Like SE2009...)



Fixing brackets (only inside assembling) for all tanks (excepting SE2029, SE2030)  
Nr.: BS2001

12,61 EUR



Fixing brackets (only inside assembling) for SE2029, SE2030  
Nr.: BS2002

20,17 EUR

All fuel tanks are 0,3 bar (4,35 psi) pressure checked and CE-certified!




For your own protection, please check with the appropriate authorities in your country if there are specific provisions prohibiting the use of fuel tanks. This is also to be done for any changes on the vehicle.

Pictures and additional information are available at [www.heipro.com](http://www.heipro.com)

**\*all Prices in Euro, ex works HeiPro Karwese, Germany**

## Pricelist Fuel Filters

Stand 16.09.2008

Picture	Article	Price*
	<p>Inline-Filter 08 mm für Diesel Fuel - only, (plastics)                      Nr.: IFD08KS                      Meas: ca. L 10 x D 5,5 cm</p>	5,55 EUR
	<p>Inline-Filter 10 mm for Diesel Fuel – only, (plastics)                      Nr.: IFD10KS                      meas ca. L 10 x D 5,5 cm</p>	5,55 EUR
	<p>Inline-prefilter 08 mm for Vegetable Oil, (plastics - mesh filter)                      Nr.: IVP08KS                      meas ca. L 10 x D 5,5 cm</p>	2,94 EUR
	<p>Inline-prefilter 10 mm for Vegetable Oil , (plastics - mesh filter)                      Nr.: IVP10KS                      meas ca. L 20 x D 5,5 cm</p>	4,71 EUR
	<p>Inline-prefilter 1/2" for Vegetable Oil, made with clear plastics for optical control (washable)                      Nr.: IVPG12                      Inline prefilter for easy service. With mesch filter made from stainless steel ( 200 µm, washable) and a clear plastic cover (washable) for optical control meas ca. heigth 12 x wide 8 x deep 6 cm, connectors Inside thread 1/2" Hose Connectors with 10mm oder 13mm OD</p>	19,50 EUR
	<p>Sparepart: filter mesh (stainless steel) for Inline- prefilter with clear plastic cover                      Nr. IVPGSE</p>	7,13 EUR
	<p>Sparepart: Seal for Inline- prefilter with clear plastic cover                      Nr. GDIVP12</p>	0,92 EUR
	<p>Universal-Filterhead M14x1.5, Aluminum                      Nr.: UFM14</p>	31,93 EUR
	<p>Fuel Filter Cartridge M14 for Universal-Filterhead                      Nr.: FPM16</p>	7,40 EUR
	<p>Universal- Fuel Filter with Fuel – Line Connectors with 8 mm OD                      Nr.: KFL134                      Fits all original VW mountings !</p>	16,38 EUR

## Picelist Fuel Hoses

Stand 17.06.2008

Picture	Article	Price *
	Fuel Line ID 06 x OD 08 mm Nr.: PA600KL Polyamide, DIN 73378, Colour clear , Temperature range -50 °C up to +100 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	1,63 EUR
	Fuel Line ID 08 x OD 10 mm Nr.: PA800KL Polyamide, DIN 73378, Colour clear , Temperature range -50 °C up to +100 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	2,03 EUR
	Fuel Line ID 11 x OD 14 mm Nr.: PA1411K Polyamide, DIN 73378, Colour clear , Temperature range -50 °C up to +100 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	4,66 EUR
	Rubber Hose ID 08 x OD 14 mm Nr.: TBSE304 High quality, smooth and strong Rubber Hose, colour Black, Temperature range -30 °C up to +120 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	3,49 EUR
	Rubber Hose ID 10 x OD 16 mm Nr.: TBSE305 High quality, smooth and strong Rubber Hose, colour Black, Temperature range -30 °C up to +120 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	3,49 EUR
	Rubber Hose ID 13 x OD 20 mm Nr.: TBSE306 High quality, smooth and strong Rubber Hose, colour Black, Temperature range -30 °C up to +120 °C, easy to mount and hard to bend, usable for Diesel, RME (Biodiesel) and Plantoil	5,00 EUR
	Leak Oil Line ID 3,2 x OD 07 mm Nr.: TBSE301	2,90 EUR
	Reinforcing sleeve for Fuel Line with ID 06 mm (for example PA600KL), Messing Nr.: VSH06MS	0,08 EUR
	Reinforcing sleeve for Fuel Line with ID 08 mm (for example PA800KL), Messing Nr.: VSH08MS	0,17 EUR

ID = inside diameter OD = outside diameter  
\*all Prices in Euro, ex works HeiPro Karweese, Germany






Reinforcing sleeve for Fuel Line with ID 11, Messing  
Nr.: VSH11MS

0,50 EUR





## Pricelist Coolant hoses

Stand 17.06.2008

Picture	Article	Price*
	Coolant Hose ID 12 x OD 18 mm Nr.: KWS1218 DIN 73411/55, smooth and strong Rubber Hose, colour Black, Temperature range -40 °C up to +100 °C, for Coolant Liquid and Water, usable to connect an heat exchanger	2,77 EUR
	Coolant Hose ID 15 x OD 21 mm Nr.: KWS1521 DIN 73411/55, smooth and strong Rubber Hose, colour Black, Temperature range -40 °C up to +100 °C, for Coolant Liquid and Water, usable to connect an heat exchanger	3,36 EUR
	Coolant Hose ID 18 x OD 24 mm Nr.: KWS1824 DIN 73411/55, smooth and strong Rubber Hose, colour Black, Temperature range -40 °C up to +100 °C, for Coolant Liquid and Water, usable to connect an heat exchanger	4,62 EUR

## Pricelist Hose Connectors

Stand 17.06.2008

Picture	Article	Price*
	Hose Connector 08/08 mm, Messing Nr.: SVG0808 for Rubber Hose with an ID of 8mm	3,03 EUR
	Hose Connector 10/10 mm, Messing Nr.: SVG1010 for Rubber Hose with an ID of 10mm	3,87 EUR
	Hose Connector 12/12 mm, Messing Nr.: SVG1212 for Rubber Hose with an ID of 12mm	5,21 EUR
	Reduction Hose Connector 06/08 mm, Messing Nr.: SVR0608 for the Connection of Rubber Hoses with an ID of 06mm / 8mm	3,78 EUR

ID = inside diameter OD = outside diameter

\*all Prices in Euro, ex works HeiPro Karweese, Germany



Reduction Hose Connector 08/10 mm, Messing  
Nr.: SVR0810

4,03 EUR

for the Connection of Rubber Hoses with an ID of 8mm / 10mm



Reduction Hose Connector 08/12 mm, Messing  
Nr.: SVR0812

4,71 EUR

for the Connection of Rubber Hoses with an ID of 8mm / 12mm



Reduction Hose Connector 10/12 mm, Messing  
Nr.: SVR1012

4,71 EUR

for the Connection of Rubber Hoses with an ID of 10mm / 12mm



Reduction Hose Connector 12/14 mm, Messing  
Nr.: SVR1214

11,43 EUR

for the Connection of Rubber Hoses with an ID of 12mm / 14mm



T- Connector OD = 08 mm, Messing  
Nr.: TS08MS0

8,49 EUR

for the Connection of three Rubber Hoses with an ID of 8mm



T-Connector OD = 10 mm, Messing  
Nr.: TS10MS0

10,08 EUR




for the Connection of three Rubber Hoses with an ID of 10mm

ID = inside diameter OD = outside diameter

\*all Prices in Euro, ex works HeiPro Karwese, Germany

## Pricelist Connection Parts

Stand 02.01.2007

Picture	Article	Price*
	Hose nipple ring RSM1408 M14 – 08 mm OD for connection of Rubber Hoses with an ID of 8mm	1,81 EUR
	Hose nipple ring RSM1410 M14 – 10 mm OD for connection of Rubber Hoses with an ID of 10 mm	1,81 EUR
	Hose nipple ring RSM1610 M16 – 10 mm OD for connection of Rubber Hoses with an ID of 10 mm	3,26 EUR



Hose nipple ring RSM1613 M16 – 13 mm  
for connection of Rubber Hoses with an ID of 13 mm

3,76 EUR



Hollow Srew HSEM14 M14x1,5

1,00 EUR



Hollow Screw HSEM16 M16x1,5

1,59 EUR



Hollow Screw for mounting of two hose nipple rings HSDM14 M14x1,5

2,53 EUR



Hollow Screw for mounting of two hose nipple rings HSDM16 M16x1,5

3,76 EUR



Copper Seal CUDM14 M14 fits to our Hollow Screws and Hose nipple rings M14

0,15 EUR



Copper Seal CUDM16 M16 fits to our Hollow Screws and Hose nipple rings M16

0,15 EUR

ID = inside diameter OD = outside diameter  
\*all Prices in Euro, ex works HeiPro Karweese, Germany

## Pricelist Clamps

Stand 08.01.2010





Picture	Article	Preis
	Hose Clamps 08-12 mm, Bandwidth 09 mm Nr.: SS08129 Fits for Rubber Hoses with ID 08 x OD 14 mm	0,38 EUR
	Hose Clamps 10-16 mm, Bandwidth 09 mm Nr.: SS12169 Fits for Rubber Hoses with ID 10 x OD 16 mm	0,38 EUR
	Hose Clamps 12-22 mm, Bandwidth 09 mm Nr.: SS12229 Fits for Rubber Hose with ID 13 x OD 20 mm, Coolant Hoses with ID 12 x OD 18 mm	0,42 EUR
	Hose Clamps 16-27 mm, Bandwidth 09 mm Nr.: SS16279 Fits for Coolant Hoses with ID 18 x OD 24 mm	0,59 EUR

ID = inside diameter OD = outside diameter

**\*all Prices in Euro, ex works HeiPro Karwese, Germany**

## Pricelist Car Electric

Stand 11.10.2007

Picture	Article	Price*
	Relais 12V, 30A Nr.: RL12300 Relais Closer 2x Kl. 87	2,52 EUR
	Relais 24V, 20A Nr.: RL24200 Relais Closer 2x Kl. 87	3,03 EUR
	Relais 12V, 20/30A Nr.: RL1220W Relais Changer 1x Kl. 87 1x Kl. 87a	3,15 EUR
	Relais 24V, 10/20A Nr.: RL2420W Relais Changer 1x Kl. 87 1x Kl. 87A	3,85 EUR

**\*all Prices in Euro, ex works HeiPro Karwese, Germany**



Inline Fuse 16A  
 Nr.: HSA16  
 Case for Normal Fuses,with push and turn to close, Screwconnectors.  
 Includes one Fuse with 16 Ampere

1,18 EUR



Thermo Schwitch - Closer 100°C  
 Nr.: TSSC100  
 Thermo Switch with a Thread pen M5 for mounting. The delievery includes  
 an Safety Screw M5

11,09 EUR



Beeper 12Volts  
 Nr.: SU12

2,10 EUR



Beeper 24Volts  
 Nr.: SU24

2,94 EUR

## Pricelist Engine Oil's

Stand 23.02.2010

Picture

Article

Price\*



Rapidly Biodegradable Engine Oil  
 Plantomot 5W40 a 5 Liters

29,64 EUR

Nr.: Planto5

Rapidly Biodegradable Engine Oil  
 Plantomot 5W40 a 20 Liters

95,80 EUR

Nr.: Planto20

Rapidly Biodegradable Engine Oil  
 Plantomot 5W40 Drum a 205 Liters

851,81 EUR

Nr.: Planto205

Engine Oil - Longlife III 5W-30 4 Liters

28,63 EUR

Nr.: Titan GT1 4L



Engine Oil - Longlife III 5W-30 20 Liters

97,50 EUR

Nr.: Titan GT1 20L

## Pricelist Diesel/Veg Oil Generator

Stand 08.01.2010

Picture	Article	Price
	<p>Power Generation runs with Straight Vegetable Oil (e.g. rape oil, canola oil, soya oil, sun flower oil, hemp oil, palm oil, jatropha oil, ...), Waste Vegetable Oil or common Diesel fuel.</p> <ul style="list-style-type: none"><li>• Model 5KVA-50</li><li>• Rated frequency (Hz) 50</li><li>• Rated output power (KW) 4.2</li><li>• Rated voltage (V) 230/400</li><li>• Engine speed (rpm) 3000</li><li>• DC output 12V/8.3A</li><li>• Phase number 1 oder 3 phase</li><li>• Engine type Single cylinder, 4-stroke, air.cooled, direct-injection</li><li>• Circuit breker Yes</li><li>• Starter fuel tank for Diesel 3.0L</li><li>• Main fuel tank for Diesel/veg Oil 11.5L</li><li>• Low oil pressure alarm system Yes</li><li>• Electric starting system Yes</li><li>• Dimension LxWxH (mm) 700x500x700</li><li>• N.W.(kg) 92</li></ul>	1243,70 EUR
	<p>Power Generation runs with Straight Vegetable Oil (e.g. rape oil, canola oil, soya oil, sun flower oil, hemp oil, palm oil, jatropha oil, ...), Waste Vegetable Oil or common Diesel fuel.</p> <ul style="list-style-type: none"><li>• Model 5KVA-60</li><li>• Rated frequency (Hz) 60 (not for German/EU)</li><li>• Rated output power (KW) 5.0</li><li>• Rated voltage (V) 230/416</li><li>• Engine speed (rpm) 3600</li><li>• DC output 12V/8.3A</li><li>• Phase number 1 oder 3 phase</li><li>• Engine type Single cylinder, 4-stroke, air.cooled, direct-injection</li><li>• Circuit breker Yes</li><li>• Starter fuel tank for Diesel 3.0L</li><li>• Main fuel tank for Diesel/veg Oil 11.5L</li><li>• Low oil pressure alarm system Yes</li><li>• Electric starting system Yes</li><li>• Dimension LxWxH (mm) 700x500x700</li><li>• N.W.(kg) 92</li></ul>	1243,70 EUR

**\*all Prices in Euro, ex works HeiPro Karweese, Germany**

### Address:

HeiPro  
H. Heinicke  
Rotdornstr. 11  
16833 Karweese, Germany

Fon.: 0049 33922 90209

Fax : 0049 33922 90379

Internet: [www.heipro.com](http://www.heipro.com)